

Hydraulic Dumping Wagons and Trailers











The WL55 3-way dump adds a new dimension in versatility with the ability to dump not only behind, but also to the left and right. The flip down side gates work with a ball mounted cylinder to allow the side

dumping action. A flow control valve protects the box from damage by controlling the maximum height. The ingenious design allows you to adapt to the situation getting into tight spaces and delivering your load exactly where you want it.



Tilt Box Size

Tubing Size

Floor Plate

Side Height

Height of Box

Optional Side

Extensions

Spindles Jack Capacity

Centre Track Width

Tire Size

Weight

48 Degrees

 $2\frac{1}{2} \times 2\frac{1}{2} \times 0.188$

18.5 × 8.5 Turf

 4×6

850 lb.

1/8"

18"

38"

36"

 $(2) - 1^3/4$ "

On Request

2000 lb.

48 Degrees

 $3 \times 3 \times 0.188$

20.5 × 8.5 Turf

 $4\frac{1}{2} \times 7$

1200 lb.

3/16"

18"

50"

50"

 $(4) - 1^3/4$ "

On Request

2000 lb.

48 Degrees

 $5 \times 3 \times 0.188$

9.5L × 15 8Ply

 $5\frac{1}{2} \times 8$

1480 lb.

3/16"

18"

50"

49"

18"

 $(2) - 1^3/4$ "

2000 lb.

48 Degrees

 $5 \times 3 \times 0.188$

9.5L × 15 8Ply

18" fold down

 $5\frac{1}{2} \times 8$

1680 lb.

3/16"

50"

49"

N/A

 $(2) - 1^3/4$ "

2000 lb.

WL2TS



Strong enough for any task.


Large estates need trailers with enough capacity and durability to keep up with the demands of maintaining and developing a large property. The 6 to 12 ton series of trailers have what it takes. With a number of options and configurations, there is a Super-Tilt to meet your demands.

Pivot Tongue

The Large Estate Series trailers introduce a new safety and damage protection feature: the rotating tongue allows the trailer to flex independently of the tractor hitch. This prevents damage and increased safety in the event of trailer tipping.









	WL14SBW 14 TON BOX & WAGON	WL14SBT 14 TON TRAILER	WL21SBW 21 TON BOX & WAGON	WL21SBT 21 TON TRAILER	WL23SBW 23 TON BOX & WAGON	WL23SBT 23 TON TRAILER
Hoist Capacity Cylinder Stroke	14 Ton 74"	14 Ton 74"	21 Ton 74"	21 Ton 74"	23 Ton 88"	23 Ton 88"
Tire Size Hubs	8 Bolt	8 Bolt	8 Bolt	10 Bolt	8 Bolt	10 Bolt
Tilt	47 Degrees	47 Degrees	47 Degrees	47 Degrees	47 Degrees	47 Degrees
Box Size	$7\frac{1}{2} \times 16$	7 ½ × 162	7 ½ × 18	$7\frac{1}{2} \times 18$	$7\frac{1}{2} \times 20$	$7\frac{1}{2} \times 20$
Tubing Size	$6 \times 4 \times 0.188$	$6 \times 4 \times 0.188$	$10 \times 4 \times 0.250$	$10 \times 4 \times 0.250$	$10 \times 4 \times 0.250$	$10 \times 4 \times 0.250$
Weight	7850 lb.	7900 lb.	10 470 lb.	10 600 lb.	10 570 lb.	10 860 lb.
Floor Plate	3/16"	3/16"	3/16"	3/16"	3/16"	3/16"
Sides	1/8 by 6'	1/8 by 6'	1/8 by 6'	1/8 by 6'	1/8 by 6'	1/8 by 6'
Centre Track Width	86"	84"	87"	84"	87"	84"
Box Height from Ground	122"	124"	125"	126"	125"	126"
Spindles	3"	3"	3"	4"	3.5"	4"
Optional Side Extensions	-	-	-	-	-	-





Built to take on the densest, toughest loads.

These trailers stand up and dump where others are left in the dirt. The floor of the box has been upgraded to ¼ inch steel to take the abuse of these heavy loads. If you need even more durability, you have the option of 3/8" steel floor. Designed to take on the punishing task of dumping gravel, these heavy-duty trailers can easily handle whatever you throw at them. For even more lifting power there is the option for a front mounted hoist, which increases hoist capacity to an incredible 30 tons. For sloppy or difficult loads there is an optional hydraulic tailgate to give you even more control.

If you need a trailer to dump the toughest loads don't get left in the dirt, get a Heavy Duty Super-Tilt.

WL21	HDT
21 TON	
TRAILER	

18.5 × 2 2.5 (10) Bolt

21 Ton

51 Degrees

 $4 \times 10 \times 0.250$

 $7\frac{1}{2} \times 18$

10,700 lb.

74"

1/4" 3/16' by 36"

87

91"

4"

30 Ton

Available

Hoist Capacity
Cylinder Stroke
Tire Size Hubs
Tilt
Box Size
Tubing Size
Weight
Floor Plate
Sides
Centre Track Width
Box Height from Ground
Spindles
Optional Front Mount Hoist
Optional Hydraulic Tailgate

WL23HDT 23 TON TRAILER

23 Ton 88" 18.5 × 2 2.5 (10) Bolt 51 Degrees 7 ½ × 18 4 × 10 × 0.250 11,200 lb. ½" (Optional ¾s") ¾" (optional ¾s") ¾" 4" 30 Ton Available

Weber-Lane Manufacturing

R.R.4 Listowel, ON Canada N4W 3G9 Tel. (519) 291-5035 Fax: (519) 291-5281

RINTED IN CANADA